PE REQUIRED= 1.8 IN AREA= 9.3 AC
QE REQUIRED= 0.84 INCHES
Rv= 0.47

ID	STYLE	TYPE	X IN	Af SF	PExDA IN-SF	AREA AC	PE EQUIVALENT
A	M-3	LANDSCAPE INFILTRATION	20	1200	24000		
B	M-3	LANDSCAPE INFILTRATION	20	1000	20000		
C	M-3	LANDSCAPE INFILTRATION	20	1000	20000		
D	M-8	GRASS SWALES	10	600	6000		
E	M-8	GRASS SWALES	10	600	6000		
F	M-8	GRASS SWALES	10	600	6000		
G	M-8	GRASS SWALES	10	360	3600		
H	M-8	GRASS SWALES	10	800	8000		
I	N-2	NON-ROOFTOP DISCONNECT				0.39	0.04
J	M-8	GRASS SWALES	10	6700	67000		
K	M-8	GRASS SWALES	10	6700	67000		
L	M-8	GRASS SWALES	10	2700	27000		
M	M-8	GRASS SWALES	10	1600	16000		
N	M-8	GRASS SWALES	10	1400	14000		
O	M-8	GRASS SWALES	10	1400	14000		
P	M-4	INFILTRATION BERM	1			0.23	0.63
Q	N-3	SHEETFLOW TO CONSERVATION				0.34	0.02
R	N-3	SHEETFLOW TO CONSERVATION				0.50	0.05
					TOTAL PExDA	298600	0.75
		TOTAL AREA, DA=			9.3 AC	405108 SF	
		PE PROVIDED=				0.74 IN	0.75 IN
		TOTAL PE PROVIDED=	1.48 IN				

PROPOSED SITEPLAN - CONCEPT PLAN SUBMISSION # 2

SCALE: 1"=50'

0' 50' 100' 150'